GIRL JUMPER WITH PLEATS AND COLOURED YOKE

ALBA

Design: Stine Hoelgaard Johansen • Nr. 5090BC



© BC Garn Aps. Foto: www.klercke.dk



BC Garn Aps tlf: +45 75 89 73 84

GIRL JUMPER WITH PLEATS

AND COLOURED YOKE

Design: Stine Hoelgaard Johansen • Nr. 5090BC

	0		
Size:	6	(8)	10 Years
Circumference:	54	(58)	61 cm
Length:	36	(38)	40 cm
Yarn:	3	(4)	4 col. 15 taube
	1	(1)	1 col. 08 lime
	1	(1)	1 col. 17 orange
	ALBA from	BC Garn	
Needles:	3 and 3.5 mm straight needles. 1 dp needle 3.5 mm. (UK Size: 11 and 10/US Size: 2 and 4) Crochet hook 2.5 mm. (UK Size: 12/US Size: c/2)		
Tension:	25 sts and 30 rows in st st on 3.5 needle = 10 x 10 cm		
Extra:	4 buttons		
Crochet abbreviations (British terms):			
	Ch – chain Dc – double	e crochet	
Eyelet stripe pattern:	Row 1 (col. 17 lime): Knit. Row 2 (col. 17 lime): Knit. Row 3 (col. 17 lime): Purl Row 4 (col. 17 lime): Purl Row 5 (col. 15 taube): Knit Row 6 (col. 15 taube): Knit Row 7 (col. 17 orange): K1, *k2tog, yo, repeat from * to last st, K1. Row 8 (col. 17 orange): Purl Row 9 (col. 15 taube): Knit Row 10 (col. 15 taube): Knit		

Repeat these 10 rows for eyelet stripe pattern

Back:

Cast on 96 [102; 106] sts using 3.5 mm straight needle and col. 15 taube.

Work st st, first row is from WS. Work straight until back measures 21 [22; 23] cm.

Armhole shaping:

Cast off 4 [5; 5] sts at beginning of next 2 rows. Then 2 [2; 2] sts on foll 2 rows, and 1 [1; 1] st at beginning of foll 4 rows = 80 [84; 88] sts.

Work pleat as follows:

Next row (RS): K 28 [30; 32], slip next 6 sts to dp needle in front of work, hold dp needle parallel in front of left hand straight needle and knit sts in both layers together as follows: *k1 from dp needle without slipping st from needle, k1 from left hand straight needle, slip both sts, repeat from * until all sts from dp needle are worked. Slip next 6 sts to dp needle at back of work, hold dp needle parallel behind left hand straight needle and repeat from * until all sts from dp needle are worked. K 28 [30; 32] = 68 [72; 76] sts.

Next row: K to end using col. 15 taube.

Continue straight working eyelet stripe pattern as described above until back measures 33 [35; 37] cm.

Neck and shoulder:

Next row (RS): Cast off centre 26 [28; 28] sts, K to end.

Work each side separately.



GIRL JUMPER WITH PLEATS

AND COLOURED YOKE

Design: Stine Hoelgaard Johansen • Nr. 5090BC

Work 1 row.

Next row: Cast off 1 st at neck side. When back measures 35 [37; 40] cm, cast off rem sts.

Left front:

Cast on 54 [56; 58] sts using 3.5 needle and col. 15 taube.

Work st st, first row is from WS. Work straight until left front measures 21 [22; 23] cm.**

Armhole and pleat:

Next row (RS): Cast off 4 [5; 5] sts for armhole, K 11 [11; 12], slip next 6 sts to dp needle in front of work, hold dp needle parallel in front of left hand straight needle and knit sts in both layers together as follows: *k1 from dp needle without slipping st from needle, k1 from left hand straight needle, slip both sts, repeat from * until all sts from dp needle are worked. Slip next 6 sts to dp needle in back of work, hold dp needle parallel behind left hand straight needle and repeat from * until all sts from dp needle are worked, K 11 [12; 13].

Work 1 row.

Contine working armhole shaping as on back, at same time work eyelet strip pattern as described above until left front measures 30 [31; 33] cm. End with WS facing for next row.

Neck:

Next row (WS): Cast off 10 [10; 10] sts at beginning of row. Work according to eyelet stripe pattern to end.

Work 1 row.

Cast off 3 sts at beginning of row. Work according to eyelet stripe pattern to end.

Work 1 row.

Cast off 1 st at beginning of row. Work according to eyelet stripe pattern to end.

Continue straigth to left front is same length as on back to shoulder cast off.

Cast off rem sts.

Right front:

Work as on left front to **. End with WS facing for next row.

Armhole

Next row (WS): Cast off 4 [5; 5] sts for armhole, continue according to eyelet pattern to end.

Next row: K 11 [12; 13], slip next 6 sts to dp needle in front of work, hold dp needle parallel in front of left hand straight needle and knit sts in both layers together as follows: *k1 from dp needle without slipping st from needle, k1 from left hand straight needle, slip both sts, repeat from * until all sts from dp needle are worked. Slip next 6 sts to dp needle in back of work, hold dp needle parallel behind left hand straight needle and repeat from * until all sts from dp needle are worked. K 11 [11; 12].

Continue working armhole shaping as on back, at same time when right front is 30 [31; 33] cm, work neck shaping as on left front, reversing shape. Cast off rem sts when right front is same length as on back at shoulder cast off.

Sleeve:

Cast on 56 [60; 60] sts on 3 mm straight needles and col. 15 taube.

Row 1 (WS): *P2, K2, repeat from * to end. Work rib as established on first row until rib is 5 [6; 7] cm.

Change to 3.5 mm needle and work st st until sleeve is 10 [11; 12] cm.

Next row (RS): Increase 1 st each end of row. Repeat increases on every 8th row to 70 [74; 76] sts.

Continue straight until sleeve is 31 [35; 38] cm.

Top:

Cast off 4 [5; 5] sts at beginning of next 2 rows, then 2 [2; 2] sts at beginning of next 8 rows, then 1 [1; 1] st on foll 8 rows, then 2 [2; 2] sts on foll 4 rows, then 3 [3; 3] sts on foll 4 rows. Cast off rem sts.

Making up:

Weave in all ends. Join shoulder seams using mattress sts. Sew in sleeve and join sleeve and side seams.

Neck and front border:

Join col 15 taube at right front cast on edge. Using crochet hook 2.5 mm work dc along right front row ends, neck and left front row ends. Work 2 dcs for every 3 row and 1 dc into every cast off st. Work 3 dcs into each corner. Turn and work 1 dc into each dc all the way back. At same time work buttonholes as follows: Begin at top of left front. After corner 3 dc work *2 chains, miss 2 dc, work 9 [10; 11] dcs, repeat from *, until 4 button-



GIRL JUMPER WITH PLEATS

AND COLOURED YOKE

Design: Stine Hoelgaard Johansen • Nr. 5090BC

holes have been worked. Continue in dc to end. Change to orange and work picot-edging as follows: *Chain 3, 1 dc into 3rd ch from hook, miss 1 dc, 1 slip st into next 2 dc, repeat from * along fronts and neck.

Sew in buttons corresponding to buttonholes.

Wash gently and leave to dry flat on a towel.

